



TECHNOMET-CONTROL

VESA-Mount Metal Enclosures For HMI Control Electronics




TECHNOMET-CONTROL









Highly versatile VESA-mount enclosures for HMI control electronics

Advanced aluminium housings developed for the installation of standard displays, panel PCs, HMIs (Siemens, Beckhoff, B&R...) and touch screens of various sizes. Cohesive design in four standard sizes with a slim profile just 95 mm deep. Specifically suitable for Siemens TP displays, screen sizes KTP400 to TP1200*. Standard VESA MIS-D 100 mounting on the rear for a control arm, wall bracket etc. Diecast front/rear bezels fit flush with the case body for a smooth appearance. Standard internal mounting options – M3 PCB pillars on the rear panel, M3 holes and guide rails in the assembly extrusions for holding internal plates. Snap-on trims in the bezels hide all the assembly screws. Removable base panel on the underside with space for cable entry. All case panels fitted with M4 threaded pillars for earth connections. Anodised and painted front panels (accessories) – recessed in the bezels to protect displays, keypads etc. Direct wall/machine mounting (with accessory kit). Accessory pole mounting bracket for poles Ø50 mm or larger. Accessory internal mount plate kit. Order your own fully customised version.

 $\hbox{*For Siemens TP Series mounting instructions datasheet, see our website.}$

Standard colours

Traffic white RAL 9016. Traffic grey A RAL 7042.






Supply


- 1 Bezel (x2)
- Top cover
- 3 Base
- (4) Assembly extrusion (x4)
- (5) Rear panel
- 6 Bezel trim (x4)
- 7 Front panel*
- 8 M3 x 6 mm (x6)
- 9 M3 x 8 mm (x8/12/16)
- (10) M4 x 16 mm (x8)

*accessory

Supplied assembled.



MET case





















TECHNOMET-CONTROL

| Part No. | Colour | Version | W | Н | D | D1 | FW Front Panel | FH Front Panel | PCB W (max.) | PCB H (max.) |
|------------|---------------|---------|-----|-----|----|----|----------------------|----------------------|-----------------|-----------------|
| M70 23 002 | RAL 7042 | C218V | 230 | 180 | 95 | 79 | 202 | 170.8 | 181 | 155 |
| M70 23 006 | RAL 7042/9016 | C218V | 230 | 180 | 95 | 79 | 202 | 170.8 | 181 | 155 |
| M70 36 102 | RAL 7042 | C325V | 360 | 250 | 95 | 79 | 332 | 240.8 | 311 | 225 |
| M70 36 106 | RAL 7042/9016 | C325V | 360 | 250 | 95 | 79 | 332 | 240.8 | 311 | 225 |
| M70 36 402 | RAL 7042 | C336V | 360 | 360 | 95 | 79 | 332 | 350.8 | 311 | 335 |
| M70 36 406 | RAL 7042/9016 | C336V | 360 | 360 | 95 | 79 | 332 | 350.8 | 311 | 335 |
| M70 42 202 | RAL 7042 | C430V | 420 | 300 | 95 | 79 | 392 | 290.8 | 371 | 275 |
| M70 42 206 | RAL 7042/9016 | C430V | 420 | 300 | 95 | 79 | 392 | 290.8 | 371 | 275 |

For full 2D drawings and 3D models please see our website.

www.metcase.co.uk 3

TECHNOMET-CONTROL | ACCESSORIES



Front Panels

Material:

2 mm aluminium.


Supply

front panel (fixings included with enclosures).

Finish:

anodised or painted (traffic white RAL 9016 or traffic grey A RAL 7042).

| Part No. | Colour | For version | W | Н |
|------------|----------|-------------|-----|-------|
| M70 00 700 | Anodised | C218V | 202 | 170.8 |
| M70 00 720 | RAL 9016 | C218V | 202 | 170.8 |
| M70 00 740 | RAL 7042 | C218V | 202 | 170.8 |
| M70 00 702 | Anodised | C325V | 332 | 240.8 |
| M70 00 722 | RAL 9016 | C325V | 332 | 240.8 |
| M70 00 742 | RAL 7042 | C325V | 332 | 240.8 |
| M70 00 704 | Anodised | C336V | 332 | 350.8 |
| M70 00 724 | RAL 9016 | C336V | 332 | 350.8 |
| M70 00 744 | RAL 7042 | C336V | 332 | 350.8 |
| M70 00 706 | Anodised | C430V | 392 | 290.8 |
| M70 00 726 | RAL 9016 | C430V | 392 | 290.8 |
| M70 00 746 | RAL 7042 | C430V | 392 | 290.8 |



Internal Mounting Plate Kit

Material:

1.5 mm unfinished aluminium.

Supply:

mounting plate and fixing screws.

| Part No. | For version | W | Н |
|------------|-------------|-----|-----|
| M70 00 940 | C218V | 181 | 155 |
| M70 00 942 | C325V | 311 | 225 |
| M70 00 944 | C336V | 311 | 335 |
| M70 00 946 | C430V | 371 | 275 |



Pole Mounting Kit

Pole mounting bracket for fixing the enclosure to a pole Ø50 mm or larger (mounting straps not included). Fits to the VESA mounting holes on the rear panel.

Material:

Finish:

2 mm CR4 steel.

painted (traffic white RAL 9016).

Supply:

bracket and fixing screws.

| Part No. | For version | W | Н |
|------------|--------------|-------|-----|
| M70 00 920 | All versions | 119.7 | 125 |



Wall Mounting Kit

Material:


1.5 mm CR4 steel.

Supply:

wall plate, enclosure bracket (x2) and fixing screws.

Finish:

painted (traffic white RAL 9016).






| Part No. | Туре | For version |
|------------|------|---------------------|
| M70 00 900 | S | C218V |
| M70 00 905 | L | C325V, C336V, C430V |

CUSTOMISED VERSIONS

MET case[™]









Order your own customised version

We can supply the TECHNOMET-CONTROL enclosures fully customised to your individual technical specifications.

All external dimensions – height, width and depth – can be modified to ensure your PCB assemblies and equipment will fit exactly.

The enclosures and front panels can be machined with holes and cutouts for fitting displays, keypads, HMI touch panels (such as Siemens TP series), control buttons and connections.

Other services include adding inserts and screw bosses; custom colours and finishes; digital and silk-screen printing, and engraving.

Having a flexible manufacturing system allows us to offer competitive prices even for small quantities. Do not hesitate to ask us for a quotation.

Our sales team will be very happy to discuss your requirements and help you specify your TECHNOMET-CONTROL enclosures exactly as you need them.

www.metcase.co.uk 5



MET case

MANUFACTURER

Metcase Enclosures A division of: OKW Enclosures Ltd. 15 Brunel Way Segensworth East Fareham, Hampshire P015 5TX **United Kingdom**

Telephone: +44 (0) 1489 583858 Email: sales@metcase.co.uk Website: www.metcase.co.uk

© OKW Enclosures Ltd. All rights reserved Catalogue Edition 1.3 – March 2025. This catalogue will be valid until 31/12/2027. Subject to technical modifications without notice. Typographical and other errors do not justify any claim for damages.
Digital Version: 03/2025e

Presented by:

Find your local sales partner here:



UNITED KINGDOM | IRELAND OKW ENCLOSURES LTD Stephen British British British Brush British British



AUSTRALIA | NEW ZEALAND

AUSTRALIA | NEW ZEALAND ROLEC OKW Australia New Zealand PTY LTD Unit 6/29 Coombes Drive, Penrith NSW 2750 Phone: +61 2 4722 3388 Email: metcase@rolec-okw.com.au Website: www.metcase.com.au



BELGIUM | LUXEMBOURG

Telerex nv Uilenbaan 90, 2160 WOMMELGEM, België Tel: +32 3 326 40 00 Email: sales-be@telerex-europe.com Website: www.metcase.co.uk



sob Schurter + OKW do Brasil soo Schurfer + UKW do Brasil Componentes Eletrônicos Ltda. Rua Barão do Triunfo, 88 - Sala 606 Brooklin, São Paulo/SP CEP 04602-000 Phone: +55 (11) 50 90 00 30 Email: info@sob-brasil.com Website: www.metcase.co.uk



ISRAEL P. Weiss 20 Ha-Ta'as st. P.O.B. 50 Kfar-Saba, 4442520. Phone +972 9 7677500 Email: pweiss@pweiss.co.il Website: www.metcase.co.uk



ITALY
Alhof di A. Hofmann SPA
Via Melegnano 20,
20019 Settimo Milanese MI
Phone: (02) 28 50 08 1
Email: alhof@alhof.com
Website: www.metcase.co.uk



NETHERLANDS

Telerex Nederland B.V.
Minervum 7139, 4817 ZN BREDA
Tel: +31 76 578 20 00
Email: sales-nl@telerex-europe.com Website: www.metcase.co.uk

www.metcase.co.uk